



Webseiten-Bericht für bhansalisteels.com

Generiert am 23 August 2022 09:28 AM

Der Wert ist 76/100





SEO Inhalte

	<p>Seitentitel</p>	<p>Bhansali Steel {Official Website} - Pipe Fitting, & Flanges Manufacturer in India.</p> <p>Länge : 82</p> <p>Ideal, aber Ihre Seitentitel sollte zwischen 10 und 70 Zeichen (Leerzeichen inbegriffen) enthalten. Benutzen Sie dieses kostenlose Werkzeug um die Länge zu prüfen.</p>
	<p>Seitenbeschreibung</p>	<p>Bhansali Steel - Pipe Fittings, Flanges, & Forged Fittings Manufacturers in India. We offer high-quality Pipe Fittings in Kuwait, UAE, and Qatar.</p> <p>Länge : 145</p> <p>Großartig, denn Ihre Seitenbeschreibung enthält zwischen 70 und 160 Anzahl Zeichen.</p>
	<p>Suchbegriffe</p>	<p>stainless steel pipe fittings manufacturer in india, stainless steel pipe fittings manufacturer, stainless steel pipe fittings, stainless steel pipe fittings supplier, stainless steel flanges manufacturer in india, stainless steel flanges supplier, carbon steel rods manufacturer in india, carbon steel sheets supplier in india, carbon steel pipe manufacturer in india, stainless steel forged fittings manufacturer in india, stainless steel forged fittings manufacturer, stainless steel metallic expansion bellows supplier in india, stainless steel metallic expansion bellows supplier, stainless steel ptfe lined fittings manufacturer in india, stainless steel ptfe lined fittings supplier, leading supplier of pipe fittings, leading manufacturer of forged fittings, leading supplier of ptfe lined fittings, high quality pipe fittings, largest pipe fittings manufacturer in india, high quality stainless steel pipe fittings, leading flanges supplier in india, leading supplier of rods</p> <p>Gut, denn Ihre Webseite enthält Suchbegriffe.</p>
	<p>Og META Eigenschaften</p>	<p>Ihre Webseite nutzt nicht die Vorteile der Og Properties. Diese Angaben erlauben sozialen Suchmaschinenrobotern Ihre Webseite besser strukturiert zu speichern. Benutzen Sie dieses kostenlose Werkzeug um Og Properties zu erzeugen.</p>



Überschriften	H1	H2	H3	H4	H5	H6
	1	10	9	12	14	0

SEO Inhalte





- [H1] Largest Pipe Fittings Manufacturer in India
- [H2] One of the leading Flanges Supplier in India
- [H2] Leading Supplier of Rods in India
- [H2] We are the most Trusted & Reliable Manufacturer of Pipe Fittings in India.
- [H2] 170
- [H2] 186
- [H2] 14
- [H2] 17
- [H2] Why Choose Us
- [H2] Other Products
- [H2] Industries We Serve
- [H3] Pipe Fittings Manufacturer
- [H3] Flanges Manufacturer
- [H3] Forged Fittings Manufacturer
- [H3] Largest Inventory
- [H3] Quick Delivery
- [H3] 24*7 Customer Service
- [H3] Pipe Fittings Grades
- [H3] Flange Grades
- [H3] Feel Free to Contact Us
- [H4] Office Address
- [H4] Social List
- [H4] Fasteners
- [H4] Sheets
- [H4] PTFE Lined Fittings
- [H4] Pipe
- [H4] Oil & Gas Industry
- [H4] Fertilizer Industry
- [H4] Power Plants
- [H4] Ship Building Industry
- [H4] Automotive Industry
- [H4] Sugar Mills
- [H5] About Bhansali Steel
- [H5] Happy Customers
- [H5] Orders Completed
- [H5] Countries Served
- [H5] Experiences
- [H5] Reasons To Choose Us
- [H5] List of Other Products We Supply
- [H5] Products
- [H5] Pipe Fittings Grades
- [H5] Contact
- [H5] Pipe Fittings Manufacturer
- [H5] Flanges Manufacturer
- [H5] Forged Fittings Manufacturer
- [H5] Flanges Grades

	Bilder	Es konnten 19 Bilder auf dieser Webseite gefunden werden. Gut, denn die meisten Ihrer Bilder verwenden das ALT-Attribut.
	Text/HTML Verhältnis	Anteil : 37%

SEO Inhalte

		Ideal! Das Text zu HTML Code Verhältnis dieser Webseite ist zwischen 25 und 70 Prozent.
	Flash	Perfekt, denn es wurde kein Flash auf Ihrer Webseite gefunden.
	IFrame	Großartig, denn Sie verwenden keine IFrames auf Ihrer Webseite.

SEO Links

	URL Rewrite	Gut. Ihre Links sind für Suchmaschinen gut lesbar (sprechende Links)!
	Underscores in the URLs	Perfekt! Wir haben keine Unterstriche in Ihren Links entdeckt.
	In-page links	We found a total of 105 links including 0 link(s) to files
	Statistics	Externe Links : noFollow 0% Externe Links : natürliche Links 2.86% Interne Links 97.14%

In-page links

Anker	Typ	Natürlich
Home	intern	natürliche Links
About Us	intern	natürliche Links
Quality Policy	intern	natürliche Links
Products	intern	natürliche Links
Pipe Fittings	intern	natürliche Links
Elbow Fitting	intern	natürliche Links
Tee Fitting	intern	natürliche Links
Cross Fitting	intern	natürliche Links

In-page links

Reducer Fitting	intern	natürliche Links
End Cap Fitting	intern	natürliche Links
Bend Fitting	intern	natürliche Links
Stub End Fitting	intern	natürliche Links
Nipple Fitting	intern	natürliche Links
Flanges	intern	natürliche Links
Slip On Flanges	intern	natürliche Links
Weld Neck Flanges	intern	natürliche Links
Blind Flanges	intern	natürliche Links
Socket Weld Flanges	intern	natürliche Links
Threaded Flanges	intern	natürliche Links
Reducing Flanges	intern	natürliche Links
Lap Joint Flanges	intern	natürliche Links
Orifice Flanges	intern	natürliche Links
Industrial Flanges	intern	natürliche Links
Ring Joint Flanges	intern	natürliche Links
Spectacle Flanges	intern	natürliche Links
Forged Fittings	intern	natürliche Links
Elbow Fitting	intern	natürliche Links
Tee Fitting	intern	natürliche Links
Cross Fitting	intern	natürliche Links
Reducer Fitting	intern	natürliche Links
End Cap Fitting	intern	natürliche Links
Coupling Fitting	intern	natürliche Links
Plug Fitting	intern	natürliche Links
Bushing Fitting	intern	natürliche Links
PTFE Lined Fittings	intern	natürliche Links
Metallic Expansion Bellows	intern	natürliche Links

In-page links

Rods	intern	natürliche Links
Pipe	intern	natürliche Links
Sheets	intern	natürliche Links
Fasteners	intern	natürliche Links
Exports	intern	natürliche Links
United States	intern	natürliche Links
Netherland	intern	natürliche Links
Australia	intern	natürliche Links
Iran	intern	natürliche Links
South Africa	intern	natürliche Links
Bahrain	intern	natürliche Links
Brazil	intern	natürliche Links
Egypt	intern	natürliche Links
Malaysia	intern	natürliche Links
Bangladesh	intern	natürliche Links
UAE	intern	natürliche Links
Nigeria	intern	natürliche Links
Saudi Arabia	intern	natürliche Links
Singapore	intern	natürliche Links
Canada	intern	natürliche Links
Turkey	intern	natürliche Links
Mexico	intern	natürliche Links
Venezuela	intern	natürliche Links
Oman	intern	natürliche Links
Qatar	intern	natürliche Links
Stainless Steel	intern	natürliche Links
ASTM A234 Pipe Fitting	intern	natürliche Links
ASTM A105 Flange	intern	natürliche Links


In-page links

Carbon Steel	intern	natürliche Links
Duplex Steel	intern	natürliche Links
Duplex Steel Pipe Fitting	intern	natürliche Links
Duplex Steel Flange	intern	natürliche Links
Super Duplex Steel	intern	natürliche Links
Super Duplex Steel A234 Pipe Fitting	intern	natürliche Links
Super Duplex UNS S32750 Flange	intern	natürliche Links
Inconel	intern	natürliche Links
Inconel 600 Pipe Fitting	intern	natürliche Links
Inconel 600 Flange	intern	natürliche Links
Inconel 800 Flange	intern	natürliche Links
Monel	intern	natürliche Links
Monel 400 Pipe Fitting	intern	natürliche Links
Monel K500 Flange	intern	natürliche Links
Hastelloy	intern	natürliche Links
Hastelloy C276 Pipe Fitting	intern	natürliche Links
Hastelloy C22 Flange	intern	natürliche Links
Alloy Steel	intern	natürliche Links
Alloy 20 Pipe Fitting	intern	natürliche Links
Alloy 20 Flange	intern	natürliche Links
Nickel Alloy	intern	natürliche Links
Nickel Alloy Pipe Fitting	intern	natürliche Links
Nickel Alloy Flange	intern	natürliche Links
Pipe Fittings Dimensions Chart in mm & inches	intern	natürliche Links
Pipe Fittings Manufacturing Process	intern	natürliche Links
Blog	intern	natürliche Links
Contact Us	intern	natürliche Links
Pipe	extern	natürliche Links

In-page links

Perforated Sheets	extern	natürliche Links
Fasteners	extern	natürliche Links
Inconel 600 Pipe Fittings	intern	natürliche Links
Super Duplex Steel Pipe Fittings	intern	natürliche Links
Duplex Steel Pipe Fittings	intern	natürliche Links
Nickel Alloy Pipe Fittings	intern	natürliche Links
Hastelloy C276 Pipe Fittings	intern	natürliche Links
Titanium Pipe Fittings	intern	natürliche Links
Incoloy 800 Pipe Fittings	intern	natürliche Links
Titanium Flanges	intern	natürliche Links
Terms & Condition	intern	natürliche Links
Privacy Policy	intern	natürliche Links
Sitemap	intern	natürliche Links






SEO Suchbegriffe





Keywords Consistency

Suchbegriff	Inhalt	Seitentitel	Suchbegriffe	Seitenbeschreibung	Überschriften
fittings	65	✘	✔	✔	✔
flanges	47	✔	✔	✔	✔
pipe	45	✔	✔	✔	✔
fitting	35	✔	✔	✔	✔
flange	27	✔	✔	✔	✔


Benutzerfreundlichkeit

	URL	Domain : bhansalsteels.com Länge : 18
	Favoriten Icon	Gut. Die Webseite hat ein Favicon.
	Druckeigenschaften	Es konnten keine druckfreundlichen CSS-Angaben gefunden werden.
	Sprache	Gut, denn Sie haben in den META-Elementen eine Sprache deklariert: en.
	Dublin Core	Diese Webseite nutzt nicht die Vorteile der Dublin Core Elemente.




Dokument

	Doctype	HTML 5
	Verschlüsselung	Perfekt, denn Ihre Webseite deklariert einen Zeichensatz: UTF-8.
	W3C Validität	Fehler : 1 Warnungen : 1
	E-Mail Datenschutz	Achtung! Es wurde mindestens eine E-Mail Adresse im Klartext auf Ihrer Webseite gefunden. Benutzen Sie dieses kostenlose Werkzeug um E-Mail Adressen vor SPAM zu schützen.
	Veraltetes HTML	Sehr gut! Sie verwenden aktuelle HTML Tags in Ihrem Webseitenquelltext.
	Tipps zur Webseitengeschwindigkeit	<ul style="list-style-type: none">  Sehr gut, denn Ihre Webseite benutzt keine verschachtelten Tabellen.  Schlecht, denn es wurden CSS-Angaben in HTML-Elementen entdeckt. Diese Angaben sollten in ein entsprechendes CSS-Stylesheet verlagert werden.  Gut, denn Ihre Webseite enthält nur wenig CSS-Dateien.  Perfekt, denn Ihre Webseite enthält nur wenig Javascript-Dateien.  Gut! Sie nutzen die Vorteile von gzip.

Mobile

	Mobile Optimierung	<ul style="list-style-type: none"><li data-bbox="555 264 767 297">✘ Apple Icon<li data-bbox="555 331 887 365">✔ META Viewport Tag<li data-bbox="555 398 783 432">✔ Flash Inhalt
--	--------------------	---

Optimierung

	XML-Sitemap	<p>Perfekt! Ihre Seite hat eine XML-Sitemap.</p> <p>https://bhansalsteels.com/sitemap.xml</p>
	Robots.txt	<p>http://bhansalsteels.com/robots.txt</p> <p>Sehr gut! Ihre Webseite enthält eine robots.txt-Datei.</p>
	Analytics	<p>Sehr gut, Ihre Website hat ein Analyse-Tool.</p> <p> Google Analytics</p>